## Amendments to the Claims:

- (Currently Amended) An apparatus for managing multiple copy versions of a source volume, the apparatus comprising:
  - a replication record management module configured to maintain a current replication record descriptive of a current copy version of a source volume and comprising a time, a copy version, and at least one copy pair;
  - a pre-pairing record management module configured to maintain a future pre-pairing record descriptive of a future copy version of the source volume and comprising a time, a copy version, and at least one copy pair;
  - a copy record module configured to create a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:
  - a replication module configured to replicate the source volume on a target volume, create a new copy version of the source volume according to the copy record, and establish a new replication record descriptive of the new copy version of the source volume: and

the replication record management module is further configured to compare the new replication record to the current replication record and to break a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.

## (Canceled)

- (Canceled)
- 4. (Canceled)
- (Original) The apparatus of claim 1, wherein the replication record management module is further configured to maintain a previous replication record descriptive of a previous copy version.
- (Original) The apparatus of claim 1, wherein the pre-pairing record management module is further configured to maintain a previous pre-pairing record descriptive of a previous copy version.
- (Original) The apparatus of claim 1, further comprising a pre-pairing module configured to create the future pre-pairing record.
- (Original) The apparatus of claim 1, further comprising a target selection module configured to locate a target volume available for use to create a copy version of the source volume.
- (Original) The apparatus of claim 1, wherein the copy record module is further configured to verify the future pre-pairing record and to account for a change in one of a source pool and a target pool.

- (Original) The apparatus of claim 1, wherein the copy record module is further configured to verify the current replication record and to account for a change in one of a source pool and a target pool.
- (Currently Amended) An apparatus for managing multiple copy versions of a source volume, the apparatus comprising:
  - a replication record management module configured to maintain a plurality of replication records, each replication record descriptive of a copy version of a source volume:
  - a pre-pairing record management module configured to maintain a plurality of pre-pairing records, each pre-pairing record descriptive of a copy version of the source volume:
  - a copy record module configured to create a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:
  - a replication module configured to replicate the source volume on a target volume, create a new copy version of the source volume according to the copy record, and establish a new replication record descriptive of the new copy version of the source volume;
  - the replication record management module is further configured to compare the new replication record to the current replication record and to break a copy pair for a removed source volume present in the current replication record, but not present in the new replication record; and

a record management module configured to dynamically manage the plurality of replication records and pre-pairing records in response to a change in the data copy environment.

- (Original) The apparatus of claim 11, wherein the change in the data copy environment comprises an addition of a source volume to a source pool.
- (Original) The apparatus of claim 11, wherein the change in the data copy environment comprises a removal of a source volume from a source pool.
- (Original) The apparatus of claim 11, wherein the change in the data copy environment comprises an addition of a target volume from a target pool.
- (Original) The apparatus of claim 11, wherein the change in the data copy environment comprises a removal of a target volume from a target pool.
- 16. (Original) The apparatus of claim 11, wherein dynamically managing the plurality of replication records comprises verifying the current status of a volume in the data copy environment and updating a replication record in response to a change from a previous status of the volume.
- (Currently Amended) A system for managing multiple copy versions of a source volume, the system comprising:
  a storage subsystem configured to store backup data;

- a backup manager configured to direct the storage subsystem to create a plurality of copy versions from a plurality of source volumes and to store backup information descriptive of each of the plurality of copy versions;
- a backup management apparatus configured to manage the plurality of copy versions and the backup information descriptive of each of the plurality of copy versions;
- a replication record management module configured to maintain a current replication record descriptive of a current copy version of a source volume;
- a pre-pairing record management module configured to maintain a future pre-pairing record descriptive of a future copy version of the source volume; and
- a copy record module configured to create a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:
- a replication module configured to replicate the source volume on a target volume, create a new copy version of the source volume according to the copy record, and establish a new replication record descriptive of the new copy version of the source volume: and

the replication record management module is further configured to compare the new replication record to the current replication record and to break a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.

- 18. (Original) The system of claim 17, wherein the backup manager further comprises a backup information module configured to store the backup information, the backup information comprising a replication record, a volume inventory, a copy pool inventory, and a dataset inventory.
- 19. (Original) The system of claim 17, wherein the backup manager further comprises a backup information module configured to store the backup information, the backup information comprising pre-pair record descriptive of a future copy version of one of the source volumes.
- 20. (Currently Amended) A computer readable storage medium comprising computer readable code configured to carry out a method for managing multiple copy versions of a source volume, the method comprising: maintaining a current replication record descriptive of a current copy version of a source volume;

maintaining a future pre-pairing record descriptive of a future copy version of the source volume:

creating a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:

replicating the source volume on a target volume, creating a new copy version of the source volume according to the copy record;

establishing a new replication record descriptive of the new copy version of the source volume:

comparing the new replication record to the current replication record; and

breaking a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.

- (Canceled)
- 22. (Canceled)
- 23. (Canceled)
- (Original) The computer readable storage medium of claim 20, wherein the method further comprises maintaining a previous replication record descriptive of a previous copy version.
- (Original) The computer readable storage medium of claim 20, wherein the method further comprises maintaining a previous pre-pairing record descriptive of a previous copy version.
- (Original) The computer readable storage medium of claim 20, wherein the method further comprises creating the future pre-pairing record.
- 27. (Original) The computer readable storage medium of claim 20, wherein the method further comprises locating a target volume available for use to create a copy version of the source volume.

- 28. (Original) The computer readable storage medium of claim 20, wherein the method further comprises verifying the future pre-pairing record, accounting for a change in one of a source pool and a target pool.
- (Original) The computer readable storage medium of claim 20, wherein the method further comprises verifying the current replication record, accounting for a change in one of a source pool and a target pool.
- 30. (Currently Amended) A method for managing multiple copy versions of a source volume, the method comprising:

maintaining a current replication record descriptive of a current copy version of a source volume:

maintaining a future pre-pairing record descriptive of a future copy version of the source volume; and

creating a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:

replicating the source volume on a target volume, creating a new copy version of the source volume according to the copy record:

establishing a new replication record descriptive of the new copy version of the source volume;

comparing the new replication record to the current replication record; and

breaking a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.

 (Currently Amended) A method for managing multiple copy versions of a source volume, the method comprising:

maintaining a current replication record descriptive of a current copy version of a source volume:

maintaining a future pre-pairing record descriptive of a future copy version of the source volume:

creating a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record:

replicating the source volume on a target volume and create a new copy version of the source volume according to the copy record;

establishing a new replication record descriptive of the new copy version of the source volume:

maintaining a replication record descriptive of a previous copy version; verifying the pre-copy record, accounting for a change in one of a source pool and a target pool;

replicating the source volume on a target volume, creating a new copy version of the source volume according to the copy record;

establishing a new replication record descriptive of the new copy version of the source volume:

comparing the new replication record to the current replication record; and

breaking a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.

 (Currently Amended) An apparatus for managing multiple copy versions of a source volume, the apparatus comprising:

means for maintaining a current replication record descriptive of a current copy version of a source volume;

means for maintaining a future pre-pairing record descriptive of a future copy version of the source volume;

means for creating a copy record from a pre-copy record, the pre-copy record comprising one of the current replication record and the future pre-pairing record if the future pre-pairing record exists else comprising the current replication record;

means for replicating the source volume on a target volume, creating a new copy version of the source volume according to the copy record;

means for establishing a new replication record descriptive of the new copy version of the source volume;

means for comparing the new replication record to the current replication record; and

means for breaking a copy pair for a removed source volume present in the current replication record, but not present in the new replication record.